

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: EIGA097B Issue date: 16/01/2013 Revision date: 15/09/2023 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

: Oxygen, refrigerated liquid Name

: 008-001-00-8 EC Index-No. EC-No. : 231-956-9 CAS-No. : 7782-44-7

REACH registration No : Listed in Annex IV / V REACH, exempted from registration.

Product code : 000010021821

Formula : 02

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Relevant identified uses : Industrial and professional uses. Perform risk assessment prior to use.

Test gas/Calibration gas.

Welding, cutting, heating and brazing. Shield gas for welding processes.

Water treatment.

Use for manufacture of electronic/photovoltaic components.

Food applications. Laboratory use. Laser gas.

Use of the substance/mixture : Balance gas for mixtures.

Carrier gas. Chemical synthesis.

Combustion, melting and cutting processes.

Food packaging gas. Process gas. Oxidizing agent

Raw material for pharmaceutical products

Laboratory use

1.2.2. Uses advised against

Uses advised against Consumer use.

Uses other than those listed above are not supported, contact your supplier for more information on

other uses.

1.3. Details of the supplier of the safety data sheet

Linde Gas UAB Didlaukio q. 69 LT-08300 Vilnius Lithuania

T + 37052787787

sds.ren@linde.com

EN (English) 1/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1.4. Emergency telephone number

Emergency number : Apsinuodijimų kontrolės ir informacijos biuras, tel +370 52362052

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Oxidising Gases, Category 1 H270

Gases under pressure : Refrigerated liquefied gas H281

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS03

GHS04

Signal word (CLP) : Danger

Hazard statements (CLP) : H270 - May cause or intensify fire; oxidiser.

H281 - Contains refrigerated gas; may cause cryogenic burns or injury.

Precautionary statements (CLP)

- Prevention : P220 - Keep away from clothing and other combustible materials.

P244 - Keep valves and fittings free from oil and grease.

P282 - Wear cold insulating gloves and either face shield or eye protection.

- Response : P336+P315 - Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate

medical advice/attention.

P370+P376 - In case of fire: Stop leak if safe to do so.

- Storage : P403 - Store in a well-ventilated place.

2.3. Other hazards

Other hazards : Not classified as PBT or vPvB. The substance/mixture has no endocrine disrupting properties.

EN (English) 2/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

| Name | Product identifier | 0/0 | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------------|---|-----|---|
| Oxygen, refrigerated liquid | CAS-No.: 7782-44-7 EC-No.: 231-956-9 EC Index-No.: 008-001-00-8 REACH-no: *1 | 100 | Ox. Gas 1, H270 Press. Gas (Ref. Liq.), H281 |

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to uncontaminated area.

First-aid measures after skin contact : In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain medical

assistance.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and

delayed

Continuous inhalation of concentrations higher than 75% may cause nausea, dizziness, respiratory

difficulty and convulsion.

See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray or fog. Product does not burn, use fire control measures appropriate for the surrounding

fire

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire : No reactivity hazard other than the effects described in sub-sections below.

Specific hazards : Supports combustion.

Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products : None.

EN (English) 3/16

^{*1:} Listed in Annex IV / V REACH, exempted from registration.

^{*3:} Registration not required: Substance manufactured or imported < 1t/y.



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Specific methods : If leaking do not spray water onto container. Water surrounding area (from protected position) to contain fire.

Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.

If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.

Special protective equipment for fire fighters : Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.

Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for

firefighters.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Act in accordance with local emergency plan. Try to stop release. Evacuate area. Eliminate ignition sources. Ensure adequate air ventilation. Use protective clothing. See section 8 of the SDS for more

information on personal protective equipment.

6.1.2. For emergency responders

Emergency procedures : Monitor concentration of released product. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. See section 5.3 of the SDS for more information.

6.2. Environmental precautions

Try to stop release. Liquid spillages can cause embrittlement of structural materials.

6.3. Methods and material for containment and cleaning up

Methods and material for containment and cleaning up : Ventilate area.

6.4. Reference to other sections

See also sections 8 and 13.

EN (English) 4/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safe handling of the gas receptacle

Safe use of the product

 $: \quad \text{Use only oxygen approved lubricants and oxygen approved sealings}. \\$

Use only with equipment cleaned for oxygen service and rated for container pressure.

Keep equipment free from oil and grease. For more guidance, refer to the EIGA Doc. 33 - Cleaning of Equipment for Oxygen Service downloadable at http://www.eiga.eu.

Use no oil or grease.

The product must be handled in accordance with good industrial hygiene and safety procedures.

Only experienced and properly instructed persons should handle gases under pressure.

Consider pressure relief device(s) in gas installations.

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Do not smoke while handling product.

Use only properly specified equipment which is suitable for this product, its supply pressure and

temperature. Contact your gas supplier if in doubt.

Avoid suck back of water, acid and alkalis.

Do not breathe gas.

: Refer to supplier's container handling instructions.

Do not allow backfeed into the container.

Protect containers from physical damage; do not drag, roll, slide or drop.

When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders.

Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use.

If user experiences any difficulty operating valve discontinue use and contact supplier.

Never attempt to repair or modify container valves or safety relief devices.

Damaged valves should be reported immediately to the supplier.

Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment.

Close container valve after each use and when empty, even if still connected to equipment.

Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container.

Do not remove or deface labels provided by the supplier for the identification of the content of the container.

Suck back of water into the container must be prevented.

Open valve slowly to avoid pressure shock.

7.2. Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompatibilities

: For more guidance on the safe storage of liquid oxygen, liquid nitrogen or liquid argon, refer to EIGA Doc.115 "Storage of Cryogenic Air Gases at Users Premises", downloadable at http://www.eiga.eu and consult your supplier.

Segregate from flammable gases and other flammable materials in store.

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve quards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition.

Keep away from combustible materials.

EN (English) 5/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| Oxygen, refrigerated liquid (7782-44-7) | | |
|---|-------------------|--|
| DNEL/DMEL (additional information) | | |
| Additional information None available. | | |
| PNEC (additional information) | | |
| Additional information None available. | | |
| Additional information | : None available. | |

Additional information

8.1.5. Control banding No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Avoid oxygen rich (>23,5%) atmospheres. Gas detectors should be used when oxidising gases may be released. Provide adequate general and local exhaust ventilation. Consider the use of a work permit system e.g. for maintenance activities. Systems under pressure should be regularily checked for leakages.

8.2.2. Personal protection equipment

Personal protective equipment:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear goggles and a face shield when transfilling or breaking transfer connections.

Standard EN 166 - Personal eye-protection - specifications

EN (English) 6/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Hand protection:

Wear working gloves when handling gas containers.

Standard EN 388 - Protective gloves against mechanical risks, performance level 1 or higher.

Wear cold insulating gloves when transfilling or breaking transfer connections.

Standard EN 511 - Cold insulating gloves, performance level 1 or higher. Recommended types include insulated gauntlets or gloves specifically selected to prevent liquid penetration and ingress of cryogenic liquids and to provide mechanical resistance.

Other skin protection

Consider the use of flame resistant safety clothing.

Standard EN ISO 14116 - Limited flame spread materials.

Wear safety shoes while handling containers.

Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

Other information:

Consider the use of flame resistant safety clothing

Standard EN ISO 14116 - Limited flame spread materials.

Wear safety shoes while handling containers.

Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

8.2.2.3. Respiratory protection

Respiratory protection:

None necessary.

Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.

8.2.2.4. Thermal hazards

Thermal hazard protection:

None in addition to the above sections.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state : Gas
Colour : Bluish liquid.

Form : Refrigerated liquefied gas

Odour : Odourless.

Odour threshold : Odour threshold is subjective and inadequate to warn of overexposure.

Melting point : -219 °C
Freezing point : Not applicable
Boiling point : -183 °C
Flammability : Non flammable.
Oxidising properties : Oxidiser.
Explosive limits : Not known.
Lower explosion limit : Not applicable.
Upper explosion limit : Not applicable.

Flash point : Not applicable for gases and gas mixtures.

EN (English) 7/16

Making our world more productive



Oxygen, refrigerated liquid

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature : Non flammable.

Decomposition temperature : Not applicable.

pH : Not applicable for gases and gas mixtures.

Viscosity, kinematic : No reliable data available.
Viscosity, dynamic : No reliable data available.

Solubility : Water:39 mg/l

Partition coefficient n-octanol/water (Log Kow) : Not applicable for inorganic products.

Partition coefficient n-octanol/water (Log Pow) : Not applicable for gas mixtures.

Vapour pressure : Not applicable.
Vapour pressure at 50°C : Not applicable.
Critical pressure : 5043 kPa

Density : Not applicable for gases and gas mixtures.

Relative density : 1.1

Relative vapour density at 20°C : Not applicable.

Relative gas density : 1.1

Particle characteristics : Not applicable

Not applicable for gases and gas mixtures.

Nanoforms are not relevant for gases and gas mixtures.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Ci : 1 Critical temperature : -118 °C

9.2.2. Other safety characteristics

Molecular mass : 32 g/mol

Gas group : Press. Gas (Ref. Liq.)

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under normal conditions.

10.4. Conditions to avoid

Avoid moisture in installation systems.

10.3. Possibility of hazardous reactions

Risk of explosion if spilt on organic structural materials (e.g. wood or asphalt). Violently oxidises organic material.

10.5. Incompatible materials

Consider the potential toxicity hazard due to the presence of chlorinated or fluorinated polymers in high pressure (> 30 bar) oxygen lines in case of combustion. Consult supplier for specific recommendations. May react violently with combustible materials. May react violently with reducing agents. Keep equipment free from oil and grease. For more guidance, refer to the EIGA Doc. 33 - Cleaning of Equipment for Oxygen Service downloadable at http://www.eiga.eu. Materials such as carbon steel, low alloy carbon steel and plastic become brittle at low temperatures and are subject to failure. Use appropriate materials compatible with the cryogenic conditions present in refrigerated liquefied gas systems. For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

None

EN (English) 8/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : No known toxicological effects from this product.

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : No known effects from this product.

pH: Not applicable for gases and gas mixtures.

Serious eye damage/irritation : No known effects from this product.

pH: Not applicable for gases and gas mixtures.

Respiratory or skin sensitisation : No known effects from this product.

Germ cell mutagenicity : No known effects from this product.

Carcinogenicity : No known effects from this product.

Reproductive toxicity : Not classified

Toxic for reproduction : Fertility : No known effects from this product.

Toxic for reproduction : unborn child : No known effects from this product.

STOT-single exposure : No known effects from this product.

STOT-repeated exposure : No known effects from this product.

Aspiration hazard : Not applicable for gases and gas mixtures.

Oxygen, refrigerated liquid (7782-44-7)

Viscosity, kinematic No reliable data available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Other information : The substance/mixture has no endocrine disrupting properties.

SECTION 12: Ecological information

12.1. Toxicity

Assessment : No ecological damage caused by this product.

 $\label{thm:continuous} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)

Hazardous to the aquatic environment, long-term : No

(chronic)

Not rapidly degradable

: Not classified

: Not classified

| Oxygen, refrigerated liquid (7782-44-7) | |
|--|--------------------|
| LC50 96 h - Fish [mg/l] | No data available. |
| EC50 48h - Daphnia magna [mg/l] No data available. | |
| EC50 72h - Algae [mg/l] No data available. | |

EN (English) 9/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 12 2 D | orcictor | ice and d | lograd | tability. |
|--------|----------|------------|--------|-----------|
| IZ.Z.P | ersisten | ice allu c | Jegrac | ווועשנ |

| 0xygen, refrigerated liquid (7782-44-7) | |
|---|--|
| Assessment | No ecological damage caused by this product. |

12.3. Bioaccumulative potential

| Oxygen, refrigerated liquid (7782-44-7) | | |
|---|--|--|
| Partition coefficient n-octanol/water (Log Pow) | Not applicable for gas mixtures. | |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable for inorganic products. | |
| Assessment | No ecological damage caused by this product. | |

12.4. Mobility in soil

| 0xygen, refrigerated liquid (7782-44-7) | |
|---|--|
| Assessment | No ecological damage caused by this product. |

12.5. Results of PBT and vPvB assessment

Assessment : Not classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Other adverse effects : Can cause frost damage to vegetation.

Assessment : The substance/mixture has no endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects : Can cause frost damage to vegetation.

Effect on the ozone layer : No effect on the ozone layer.

Effect on global warming : None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Contact supplier if guidance is required. May be vented to atmosphere in a well ventilated place.

Ensure that the emission levels from local regulations or operating permits are not exceeded. Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at http://www.eiga.eu for more guidance on suitable disposal methods. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier.

List of hazardous waste codes (from Commission Decision 2000/532/EC as amended)

: 16 05 04 *: Gases in pressure containers (including halons) containing hazardous substances.

13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or national regulations.

EN (English) 10/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|--|---|--|---|
| 14.1. UN number or ID num | ber | | | |
| UN 1073 | UN 1073 | UN 1073 | UN 1073 | UN 1073 |
| 14.2. UN proper shipping n | ame | | | |
| OXYGEN, REFRIGERATED LIQUID | OXYGEN, REFRIGERATED LIQUID | Oxygen, refrigerated liquid | OXYGEN, REFRIGERATED LIQUID | OXYGEN, REFRIGERATED LIQUID |
| Transport document description | on . | | | |
| UN 1073 OXYGEN, REFRIGERATED LIQUID, 2.2 (5.1), (C/E) | UN 1073 OXYGEN, REFRIGERATED LIQUID, 2.2 (5.1) | UN 1073 Oxygen, refrigerated liquid, 2.2 (5.1) | UN 1073 OXYGEN, REFRIGERATED LIQUID, 2.2 (5.1) | UN 1073 OXYGEN, REFRIGERATED LIQUID, 2. (5.1) |
| 14.3. Transport hazard clas | s(es) | | | |
| 2.2 (5.1) | 2.2 (5.1) | 2.2 (5.1) | 2.2 (5.1) | 2.2 (5.1) |
| 2 5.1 | 2 5.1 | Not applicable | 2 5.1 | 2 5.1 |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazaro | ds | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |

14.6. Special precautions for user

Special transport precautions

: Avoid transport on vehicles where the load space is not separated from the driver's compartment, Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, Before transporting product containers: - Ensure there is adequate ventilation, - Ensure that containers are firmly secured, - Ensure valve is closed and not leaking, - Ensure valve outlet cap nut or plug (where provided) is correctly fitted, - Ensure valve protection device (where provided) is correctly fitted.

Overland transport

Classification code (ADR) : 30
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P203
Mixed packing provisions (ADR) : MP9
Portable tank and bulk container instructions (ADR) : T75
Portable tank and bulk container special provisions : TP5, TP22

(ADR)

Tank code (ADR) : RXBN

EN (English) 11/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank special provisions (ADR) : TU7, TU19, TA4, TT9

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V5

Special provisions for carriage - Loading, unloading and : CV9, CV11, CV36

handling (ADR)

Special provisions for carriage - Operation (ADR) : S20 Hazard identification number (Kemler No.) : 225

Orange plates :

225 1073

Tunnel restriction code (ADR) : C/E

Transport by sea

Limited quantities (IMDG) : 0 Excepted quantities (IMDG) : E0 Packing instructions (IMDG) : P203 Tank instructions (IMDG) : T75 Tank special provisions (IMDG) : TP5, TP22 EmS-No. (Fire) : F-C EmS-No. (Spillage) : S-W : D Stowage category (IMDG)

Properties and observations (IMDG) : Liquefied, non-flammable gas. Strong oxidizing agent. Mixtures of liquid oxygen with acetylene or

oils may explode.

Air transport

PCA Limited quantities (IATA) : FORBIDDEN PCA limited quantity max net quantity (IATA) : FORBIDDEN PCA packing instructions (IATA) : FORBIDDEN PCA max net quantity (IATA) : FORBIDDEN CAO packing instructions (IATA) : FORBIDDEN CAO max net quantity (IATA) : FORBIDDEN Special provisions (IATA) : A2 ERG code (IATA) : 2X

Inland waterway transport

Classification code (ADN): 30Special provisions (ADN): 274Limited quantities (ADN): 0Excepted quantities (ADN): E0Equipment required (ADN): PPNumber of blue cones/lights (ADN): 0

Rail transport

 Classification code (RID)
 : 30

 Limited quantities (RID)
 : 0

 Excepted quantities (RID)
 : E0

 Packing instructions (RID)
 : P203

 Mixed packing provisions (RID)
 : MP9

 Portable tank and bulk container instructions (RID)
 : T75

 Portable tank and bulk container special provisions (RID)
 : TP5, TP22

 Tank codes for RID tanks (RID)
 : RxBN

EN (English) 12/16

Making our world more productive



Oxygen, refrigerated liquid

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for RID tanks (RID) : TU7, TU19, TA4, TT9, TM6

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W5

Special provisions for carriage - Loading, unloading and : CW9, CW11, CW36

handling (RID)

Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 225

14.7. Maritime transport in bulk according to IMO instruments

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

VOC Directive (2004/42)

Restrictions on use : None.

Seveso Directive (Disaster Risk Reduction)

Seveso Directive: 2012/18/EU (Seveso III) : Listed.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Ensure all national/local regulations are observed.

Safety data sheet in accordance with commission regulation (EU) No 2020/878.

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work

Directive 2016/425/EEC on personal protective equipment

Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX)

Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.

EN (English) 13/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

SECTION 16: Other information

Indication of changes:

Safety data sheet in accordance with commission regulation (EU) No 2020/878.

| Abbreviations ar | nd acronyms: |
|------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | ADR - Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | ATE - Acute Toxicity Estimate |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAO | Cargo Aircraft only / Cargo Aircraft only |
| CAS-No. | Chemical Abstract Service number |
| CLP | CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | CSA - Chemical Safety Assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC | European Inventory of Existing Commercial Chemical Substances |
| ED | Endocrine disrupting properties |
| EINECS | EINECS - European Inventory of Existing Commercial Chemical Substances |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| IOELV | Indicative Occupational Exposure Limit Value |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |

EN (English) 14/16



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PCA | Passenger and Cargo Aircraft / Passenger and Cargo Aircraft | |
| PNEC | Predicted No-Effect Concentration | |
| PPE | PPE - Personal Protection Equipment | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| RMM | RMM - Risk Management Measures | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| TRGS | Technical Rules for Hazardous Substances | |
| STOT-RE | Specific Target Organ Toxicity-Repeated Exposure | |
| STOT-SE | Specific Target Organ Toxicity-Single Exposure | |
| UFI | Unique Formula Identifier | |
| UN | UN - United Nations | |
| VOC | Volatile Organic Compounds | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| WGK | Water Hazard Class | |

Training advice Other information

- : Ensure operators understand the hazard of oxygen enrichment.
- : Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP). Key literature references and sources of data are maintained in EIGA doc 169: 'Classification and Labelling Guide', downloadable at http://www.Eiga.eu.

| Full text of H- and EUH-statements: | |
|---------------------------------------|---|
| H270 | May cause or intensify fire; oxidiser. |
| H281 | Contains refrigerated gas; may cause cryogenic burns or injury. |
| Ox. Gas 1 Oxidising Gases, Category 1 | |
| Press. Gas (Ref. Liq.) | Gases under pressure : Refrigerated liquefied gas |

The classification complies with DISCLAIMER OF LIABILITY

- : ATP 12
- Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or

damage resulting from its use can be accepted.

Safety Data Sheet (SDS), EU LT

EN (English) 15/16

Making our world more productive



Oxygen, refrigerated liquid

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

End of document

EN (English) 16/16